WALL-RECESSED HYDRATION STATION

Wall-recessed mains-connected combination unit

Wall-recessed hydration stations include a bottle filler, and a vandal-resistant push button mechanism for using the bubbler.













- High efficiency cooling system and refrigerant R-134a
- Stainless steel top and heavy duty steel frame
- Electronic automatic dispense (hands-free model)
- Integrated bottle counter and filter monitor (hands-free model)
- Built-in 100 micron strainer stops particles before they enter the waterway
- Waterways are lead free in materials and construction
- Built-in panel locks for easy access to chiller and filtration
- Vandal resistant mechanical push button

Activated by a vandal-resistant mechanical push button, the basin is designed to eliminate splashing and standing water. The built-in, recessed bottle filler operates with a simple push button, and contains a silver-based antimicrobial compound that reduces the growth of micro-organisms and mildew to protect the surface from discolouration, odours, and degradation. You have optional filtration for taste, odour, and chlorine reduction. The cooling system uses the highly efficient R-134a refrigerant.

All Oasis bottle fillers are made with proprietary Freshield technology. Freshield harnesses the natural bacteria-fighting power of silver by infusing it into a poly compound on moulded parts of the alcoves.

Suitable for public building, gymnasiums, sports complexes, hospitals, schools, and offices.

Model Information (AC-M8WRSBFY)	
Activation	Bottle Filler - Manual, Push Button Drinking Fountain - Manual, Vandal Resistant Push Button
Filtration	Green Filter (optional), Built-in 100 micron strainer
Exterior	Antimicrobial ABS Plastic, Brushed Stainless Steel
Chassis	Heavy Duty Galvanised Steel
Dimensions	1143(H) x 502(W) x 483(D) (287 recessed)
Alcove Height	265mm
Net Weight	73kg
Power Supply	220-240V, 50/60 Hz
Cooling Performance	60 LPH - Rated Capacity & Base Rate - (10°C in 21°C amb. temp.)
Full Load Amps	2.2 A
Rated Watts	340 W
Country of Origin	Mexico
Certifications	WaterMark, ANSI/NSF 61, CABO/ANSI A117.1, ADA, CE (LVD, EMC, RoHS), WRAS
Warranty	1 Year Full, 2 Years Parts Only









TECHNICAL DRAWINGS



